

## Bradshaw Hall Primary School

# **Bradshaw Hall Primary School** Vernon Close,

Cheadle Hulme, SK8 6AN

Date Reviewed:	Autumn 2024
Date Ratified & Adopted by the Governing Board:	Autumn 2024
Signed - Head Teacher	
Signed - Chair of Governing Board	
Next Review:	Autumn 2026
Comments:	Policy updated by LA - Spring and Autumn 2023
	Adapted & Adopted SMBC Model Policy



Supporting Pupil's Medical Conditions in School's & Early Years Settings Policy

**Corporate Support Services** 

## Contents

Policy Statement	 3
Policy Framework	 3
 Appendices	 13

#### **Policy Statement**

## This school and early years setting is an inclusive community that aims to support and welcome pupils with medical conditions.

- This school including an Early Years Setting (EYS) aims to provide all pupils with a medical condition the same opportunities as others at school/ early years settings.
   We will help to ensure children can:
  - be healthy
  - stay safe
  - feel part of their local community
  - · be confident and able to meet their goals
- The school/early years setting ensures all staff understand their duty of care to pupils, in the event
  of a medical emergency.
- All staff are confident in knowing what to do in an emergency.
- The school early years setting understands that medical conditions are serious and can be
  potentially life-threatening, particularly if ill managed or misunderstood.
- The school/early years setting understands the importance of medication and care being taken as directed by healthcare professionals and parents.
- The School Nursing Service (SN) /Health Visiting (HV) Service will offer school/EYS setting an annual update. If a new medical condition arises over the year, then the SN/HV will provide an update or give advice on the most appropriate service to deliver it.

## **Policy Framework**

The policy framework describes the essential criteria for how the school/EYS (hereafter referred to as the school), can meet the needs of children and young people with medical conditions.

## 1. This school is an inclusive community that supports and welcomes pupils with medical conditions.

- This school understands that it has a responsibility to make the school welcoming and supportive to pupils with medical conditions who currently attend and to those who may enrol in the future. In doing so, the school will work in partnership alongside the child's parents/carers. No child will be denied admission or prevented from taking up a place because arrangements for their medical condition have not been made. Specific spaces have been adapted in school to maximise the ability of school to welcome and support pupils with medical conditions
- The school undertakes a minimum annual review of medical information provided by parents by contacting parents directly, (more frequently for short term or significant conditions), to ascertain any changes in the condition(s) which would be beneficial to school to know
- The school will contact parent & carers periodically to request any changes in their child's medical needs
- The school will contact parents/carers to advise of any medication requiring replacement/renewal normal 1 month prior to expiry
- The school will listen to the views of parents and pupils
- Pupils and parents will feel confident in the care they receive from this school and that the level of the care meets their needs.
- Staff understand the medical conditions of the pupils at this school and that they may be serious, adversely affecting a pupil's quality of life and impact on their ability to learn.
- The school understands that all children with the same medical condition will not have the same needs.
- The school recognises that the duties in the Children and Families Act and the Equality Act relate to children with a disability or medical condition and are anticipatory.
- The Headteacher is responsible for ensuring staff receive all updates and responsive advice from the health professionals specifically the Health Visitor/School Nurse Service.
- The Headteacher must appoint a member of staff as a designated person responsible for the implementation of this policy.

- 2. The school's medical conditions policy is drawn up in consultation with a wide range of local key stakeholders within both the school and health settings
- Stake holders should include pupils, parents, School Nurse/Health Visitor, school staff, governors/trustees.
- 3. The medical conditions guidance is supported by a clear communication plan for staff, parents/carers and other key stakeholders to ensure its full implementation (see Medical Conditions Information Pathway below).
  - a. Pupils are informed and reminded about the medical conditions policy:
  - through the school's pupil representative body
  - through the delivery of personal, social and health education (PSHE)
  - through an assembly at the start of the school academic year.
  - b. Parents/carers are informed about the medical conditions' guidance and that information about a child's medical condition will be shared with the school nurse:
  - by including a clear statement on the schools' website and signposting access to the guidance
  - at the start of the school year when communication is sent out about Individual Health Plans
  - using usual communication channels e.g. newsletters etc at intervals in the year
  - when their child is enrolled as a new pupil
  - c. School staff are informed and regularly reminded about the school's medical conditions Guidance:
  - through the staff handbook and staff meetings and by accessing the school's intranet
  - through scheduled medical conditions updates and annual training
  - through the key principles of the policy being displayed in several prominent staff areas
  - all supply and temporary staff are informed of the policy and their responsibilities including who
    is the designated person, any medical needs or Individual Health Plans related to the children
    in their care and how to respond in emergencies
  - Staff are made aware of Individual Health Plans as they relate to their teaching/supervision groups. This is a role for the designated person

## **Medical Conditions Information Pathway**

Schools must ask parents to identify any medical conditions and how best to support their child at the following opportunities:

School

- Transition discussions
- At start of school year
- New enrolment (during the school year)
  - New diagnosis informed by parents



School collates response and identifies those needing individual health plans and sends to the school nurse.

School



School Nurse contacts the parents/carers either to review Individual Health Plan (IHP) or start new plan if needed.

School Nurse



Parents/carers and school nurse complete the IHP. If there is no response from parents/carers, the school nurse must inform the designated person. All contacts to be documented and dated.

Parents

School Nurse

School



School nurse discusses the IHP with school designated person. Parents/carers informed of acceptance of IHP. IHP is stored in school according to the policy.

School Nurse

School

**Parents** 

PARENTS/CARERS MUST CONTACT SCHOOL WHEN THERE ARE CHANGES OR AMENDMENTS NEEDED AT ANY POINT IN THE SCHOOL YEAR

#### Parents/Carers Responsibilities

Parents/Carers have a responsibility to:

- tell the school if their child has a medical condition or complex health need and inform the school if there are any changes to their childs condition
- check the school has a complete and up-to-date Individual Health Plan if their child has a complex health need
- inform the school about the medication their child requires during school hours and provide the school with an in-date medication.
- provide the school with the medication labelled with the pupil's name, the name of the medication, the dose, the time the medication needs to be given and the expiry date for the medication.
- complete the Medical Permission form (3a) with school to ensure the medication is given correctly during school hours.
- inform school of any changes to their child's medication and ensure the 3a is updated correctly.
- inform the school/provider of any medication their child requires while taking part in visits, outings or field trips and other out-of-school activities.
- ensure that the school has full emergency contact details for them
- keep their child at home if they are not well enough to attend school
- ensure their child catches up on any schoolwork they have missed
- ensure their child has regular reviews about their condition with their doctor or specialist healthcare professional
- if the child has complex health needs, ensure their child has a written Individual Health Plan for school and, if necessary, an asthma management plan from their doctor or specialist healthcare professional to help their child manage their condition
- have completed/signed all relevant documentation including the Individual Health Plan. If appropriate
- ensure that their child is as up to date as possible with immunisations to ensure that both the school and its pupils are as safe as possible. If parents do not wish to have their child vaccinated then the school need to be made aware of this and a risk assessment of activities to be undertaken needs to be completed.

- 4. All children with anaphylaxis, epilepsy, cystic fibrosis, diabetes or a complex medical condition requiring significant care in school/EYS will have an individual health plan (IHP). Please note children with asthma will no longer require an IHP but may have an asthma management plan from their doctor or specialist health care professional. For any child having an asthma attack, please follow the 'Asthma emergency procedures' (Appendix 7)
  - An IHP will detail exactly what care a child requires in school and when they need it.
  - It should also include information on the impact any health condition may have on a child's learning, behaviour or their ability to engage in everyday activities.
  - This should be completed with input from the child where possible, their parents/carers, relevant school staff and health care professionals, ideally a specialist if the child has one.
- 5. All staff understand and are trained to know how to respond to an emergency for children with medical conditions.
  - All school staff, including temporary or supply staff, are aware of the medical conditions within the school and understand their duty of care to children in an emergency.
  - A child's IHP explains what help they need in an emergency.
  - Permission from parents/carers will be sought and recorded in the IHP for sharing the IHP
  - Staff should receive updates once a year from the SN/HV for asthma and other medical needs and know how to act in an emergency. Additional training is prioritised for key staff members who work with pupils who have specific medical conditions supported by an Individual Health Plan.
  - The action required for staff to take in an emergency for the common conditions at this school
    is displayed in prominent locations for all staff including classrooms, kitchens, the staff room
    and electronically.
  - If a child needs to be taken to hospital, a member of staff will always accompany them and will stay with them until a parent/carer arrives, this member of staff will ensure they take the child's IHP with them as they accompany the child to the hospital. This school will try to ensure that the staff member will be one the child knows. The staff member concerned should inform a member of the school's senior management and/or the school's critical incidents team, about the emergency. If the parent comes to the school to take their child to the hospital, school staff must ensure that the IHP is given to the parent.

- 6. This school has clear guidance on providing care and support and administering medication in school.
- This school will seek to ensure that children with medical conditions have appropriate access to their emergency medication.
- This school will ensure that all children understand the arrangements for a member of staff (and the reserve member of staff) to assist in supporting and/or administering their emergency medication safely.
- This school understands the importance of medication being taken as prescribed.
- All use of medication is done under the appropriate supervision of a member of staff at this school
  unless there is an agreed plan for self-medication. If staff become aware pupils are using their
  medication in an unusual way, they should discuss this with the child.

Should staff become aware that a pupil is using their reliever inhaler more than 4 puffs in 4 hours, or suddenly using their reliever inhaler more than they normally do, this may suggest that their asthma is not under control, and they may be at greater risk of having an asthma attack. Should this be observed, immediate action should be taken to alert the parents/carers and staff should record any actions or discussions.

- Many members of staff are happy to take on the voluntary role of administering medication. For medication where no specific training is necessary, any member of staff may administer medication to pupils under the age of 16, but only with the written consent of the pupil's parent/carer (see form 3a appendix 1). This is then recorded on the record of medication (form 3 b)
- All school staff in this school have been informed through training that they are required, under common law duty of care, to act like any reasonably prudent parent/carer in an emergency situation. This may include acting such as assisting in administering medication or calling an ambulance.
- Parents/carers at this school understand that if their child's medication changes or is discontinued, or the dose or administration method changes, that they should notify the school immediately.
   Parents/carers should provide the school with any guidance regarding the administration of medicines and/or treatment from the GP, clinics or hospital.
- If a child at this school refuses their medication, staff will record this and contact parents/carers immediately.
- All staff attending off-site visits are aware of any children on the visit who have medical conditions. They will receive information about the type of condition, what to do in an emergency and any other additional support necessary, including any additional medication or equipment needed.

- The needs of all children on trips and visits should be risk assessed by the school and the child's prescribed medication and spare inhaler, if necessary, should be taken and accessible.
- If a trained member of staff, who is usually responsible for administering medication, is not available the school explores possible alternative arrangements with parents/carers. This is always addressed in the risk assessment for off-site activities.
- If a child misuses medication or medical equipment, either their own or another child's, their parents/carers are informed as soon as possible. However please note, if this occurs and the child is at risk, for example, if the child overdoses on theirs or another child's medication then the school would contact 999 and enable the child to be taken to hospital by an ambulance.
- If the school receives a request or instruction from a parent/carer which would appear to be contrary to the advice in the document and from the DFE, the school should seek clarification from the parent/carer and any advice they can provide from consultants/clinicians associated with the child's case and also contact the School Nurse (0161 835 6083) to discuss the matter before agreeing any further action.
- Please see appendix 5 for giving pain relief in school verbal consent form appendix 6.

## 7. The school has clear guidance on the storage of medication and equipment at school.

- Emergency medication is readily available to children who require it at all times during the school day or at off-site activities.
- It is usually appropriate for a child to carry an adrenaline auto injector on their person in high school. In primary and EYS the auto injector needs to be in a place where staff can get to it in an emergency.
- All non-emergency medication is kept in a secure place, in a locked cupboard in a cool dry place.
   Where age appropriate, children with medical conditions should know where their medication is stored and how to access it.
- It is not appropriate for a child to carry insulin on their person in school. This should be stored in a locked cupboard.
- Staff need to ensure that medication is accessible only to those for whom it is prescribed.
- This school has an identified member of staff/designated person who ensures the correct storage
  of medication at school.
- All controlled drugs are kept in a locked cupboard and only named staff have access

- The identified member of staff checks the expiry dates for all medication stored at school each term (i.e., three times a year).
- All medication is supplied and stored in its original containers. All medication is labelled with the
  pupil's name, the name of the medication, expiry date and the prescriber's instructions for
  administration, including dose and frequency.
- All medication (including blue inhalers) and equipment such as spacers or blood sugar monitoring kits are sent home with pupils at the end of the school term.
- It is the parents/carer's responsibility to ensure adequate and in-date supplies of all required medication comes into school at the start of each term with the appropriate instructions.

#### Safe Disposal

- Parents/carers at this school are asked to collect out-of-date medication.
- Sharps boxes are used for the disposal of needles. Parents/carers obtain sharps boxes from the child's GP or paediatrician on prescription. All sharps boxes in this school are stored in a locked cupboard unless alternative safe and secure arrangements are put in place on a case-by-case basis. Each box must be signed and dated as per assembly instructions, there should be one box per child and the temporary closure MUST be used when the box is not in use.
- Disposal of sharps boxes the sharps bin should be closed securely and returned to parents/carers. Parents/carers then need to take the sharps bin to the GP/pharmacy for disposal.

#### 8. The School/EYS has clear guidance about record keeping

- Parents and Carers at this school are asked if their child has any medical conditions on the enrolment form.
- This school uses an IHP to record the support required by a child to support the management of their medical condition. The IHP is developed with the child (where appropriate), parent/carer, school staff, specialist nurse (where appropriate) and relevant healthcare services.
- This school has a centralised register of IHPs, and an identified member of staff (the designated person) has responsibility for this register.
- IHPs are regularly reviewed, once a year or whenever the child's needs change.
- The child (where appropriate) parents/carers, specialist nurse (where appropriate) and relevant healthcare services hold a copy of the IHP. Other school staff are made aware of and have access to the IHP for the child in their care.

- This school makes sure that the child's confidentiality is protected where appropriate but sharing of the information is required to keep the child safe.
- This school meets with the pupil (where appropriate), parent/carer, specialist nurse (where appropriate) and relevant healthcare services prior to any overnight or extended day visit to discuss and plan for any extra care requirements that may be needed. This is recorded in the child's IHP which accompanies them on the visit.
- Where the child's attendance is becoming a concern the health needs of the child must be reviewed and the IHP updated as necessary.
- 9. This school ensures that the whole environment is inclusive and favourable to children with medical conditions. This includes the physical environment, as well as social, sporting and educational activities.
- This school is committed to providing a physical environment accessible to children with medical conditions. This school is also committed to an accessible physical environment for out-of-school activities.
- This school makes sure the needs of children with medical conditions are adequately considered to
  ensure their involvement in structured and unstructured activities, extended school activities and
  residential visits. This school will review its policy annually and include any updates in-year as
  required.
- All staff are aware of the potential social problems that children with medical conditions may
  experience and use this knowledge, alongside the school's behaviour management policy, to help
  prevent and deal with any problems. They use opportunities such as PSHE and science lessons to
  raise awareness of medical conditions to help promote a positive environment.
- This school understands the importance of all pupils taking part in physical activity and that all
  relevant staff make appropriate adjustments to physical activity sessions to make sure they are
  accessible to all pupils. This includes out-of-school clubs and team sports.
- This school understands that all relevant staff are aware that pupils should not be forced to take
  part in activities if they are unwell. They should also be aware of pupils who have been advised to
  avoid/take special precautions during activity, and the potential triggers for a pupil's medical
  condition when exercising and how to minimise these.
- This school makes sure that pupils have the appropriate medication/equipment/food with them during physical activity.
- This school makes sure that pupils with medical conditions can participate fully in all aspects of the curriculum and enjoy the same opportunities at school as any other pupil, and that appropriate adjustments and extra support are provided. Special circumstances situations will be considered in their own circumstances.

- All school staff understand that frequent absences, or symptoms, such as limited concentration
  and frequent tiredness, may be due to a child's medical condition. This must be recorded and
  managed appropriately, using school's relevant policies school have in place.
- This school will refer pupils with medical conditions who are finding it difficult to make progress with their learning, to the SENCO/Special Educational Needs Advisor who will liaise with the pupil (where appropriate), parent and the pupil's healthcare professional.
- Pupils at this school learn what to do in an emergency.
- This school makes sure that a risk assessment is carried out before any out-of-school visit, including work experience and educational placements. The needs of pupils with medical conditions are considered during this process and plans are put in place for any additional medication, equipment or support that may be required.
- 10. This school is aware of the common triggers that make common medical conditions worse or can bring on an emergency. The school is actively working towards reducing or eliminating these health and safety risks and has a written schedule of reducing specific triggers to support this
- This school is committed to identifying and reducing triggers both at school and on out-of-school visits.
- School staff have been given updates on medical conditions which includes avoiding/reducing
  exposure to common triggers. It has a list of the triggers for pupils with medical conditions at this
  school, has a trigger reduction schedule and is actively working towards reducing/eliminating these
  health and safety risks.
- The IHP details an individual pupil's triggers and details how to make sure the pupil remains safe throughout the whole school day and on out-of-school activities. Risk assessments are carried out on all out-of-school activities, considering the needs of pupil with medical needs.
- This school reviews all medical emergencies and incidents to see how they could have been avoided, and changes school policy according to these reviews.
- 11. Where a child is returning to school following a period of hospital education or alternative provision (including home tuition), this school will work with the local authority and education provider to ensure that the pupil receives the support they need to reintegrate effectively.
- This school works in partnership with all relevant parties including the pupil (where appropriate), parent, school's governing body, all school staff, catering staff, employers and healthcare professionals to ensure that the support is planned, implemented and maintained successfully.

12. Each member of the school and health community knows their roles and responsibilities in maintaining and implementing an effective medical conditions policy.	
<ul> <li>This school works in partnership with all relevant parties including the pupil (where appropriate), parent, school's governing body, all school staff, catering staff, employers and healthcare professionals to ensure that the policy is implemented and maintained successfully.</li> </ul>	
This school is committed to keeping in touch with a pupil when they are unable to attend school because of their condition.	
13. The medical conditions policy is regularly reviewed, evaluated and updated. Updates are produced every year	
<b>15</b>   Page	

## **Appendices**

Appendix	1 Form 3a - Medication Permission & Record – Individual Pupil	15
Appendix	2 Form 3b - Record of Medication	16
Appendix	3 Form 4 - Staff Training Record	17
Appendix	4 Paracetamol Products in School	18
Appendix	5 Verbal Consent from Parent / Carer	19
Appendix	6 Contacting Emergency Services	20
Appendix	7 List of Medications that may require an Individual Health Plan	21
Appendix	8 Asthma Emergency Procedures	23
Appendix	9 Anaphylaxis Emergency Procedures	25
Appendix	10 Diabetes Emergency Procedures	27
	11 Epilepsy Emergency Procedures	

# Form 3a – Medication Permission & Record – Individual Pupil BRADSHAW HALL PRIMARY





Form 3a N	Medication Permission & Record – Individual Pupil
Name of Pupil:	
Class / Form:	
Medical Condition(s):	
Name of Medication:	
Date of prescription:	
Expiry Date:	
Dose and Method: (how Include any Emergency ac	
When is it taken (time)	
Quantity Received: (inhaler/bottle/sachet)	
Date medication provide	ed:
Medication to stay in school/return home to p	arent?
Any other information:	
Parent Signature:	
Print name:	
Parent Contact Number Email address:	&
Staff signature:	
Print name:	
Date and quantity of medication returned to p	parent:

SCHOOL IS UNABLE TO ADMINISTER PARACETAMOL BASED MEDICINES

PLEASE RETURN COMPLETED FORM TO MR GLEAVES





## Form 3b - Record of Medication

Date	Pupil's Name	Time	Name of Medication	Dose Given	Any Reactions	Signature of Staff Member	Print Name





Form 4 – Staff T	raining Record		
Name of school/ early years setting:			
Type of training received:			
Date training completed:			
Training provided by:			
Trainer Job Title and Profession:			
I confirm that the people	e listed above have received this training		
Name of people attending	g training		
1.			
2.			
3.			
4.			
5.			
Trainer's Signature:			
Date:			
Use a separate sheet if more than five people have received training			
I confirm that the people	e listed above have received this training		
Headteacher signature:			
Print Name:			
Date:			
Suggested date for update training:			

#### **Giving Paracetamol in School**

At Bradshaw Hall the Governing Board has taken the decision, due to the nature and potential harm which can be caused by too much Paracetamol, that we will not be able to administer Paracetamol or medicines containing Paracetamol, e.g. Calpol or proprietary cold and flu medication, as a routine measure.

Parents or carer are invited to attend the school to administer the dose required to their child at an agreed time in line with the prescription. Whilst we realise this may be sometimes inconvenient for parents, we feel that this is in the best interests of the child and so as to avoid any potential over dosing.

Under exceptional circumstances, the Governing Board **may** consider a variation under strict protocols e.g. a more serious medical condition on a short-term basis. In this event, parents are required to contact the Headteacher.

Such medicine should MUST be prescribed by a senior Consultant and be under the control and responsibility of the parent or carer for the course of treatment.



# **Verbal Consent from Parent / Carer BRADSHAW HALL PRIMARY SCHOOL**

## SCHOOL WILL NOT BE ABLE TO ADMINISTER PARACETAMOL BASED MEDICINES USING THIS FORM

Name of child:  Name of parent/carer:  Relationship to child:  Telephone number contacted on:  Date and Time of conversation: Face to face/Telephone  Nature of request to parent/carer  I give permission for school staff to	Name of parent/carer:  Relationship to child:  Telephone number contacted
Relationship to child:  Telephone number contacted on:  Date and Time of conversation: Face to face/Telephone  Nature of request to  I give permission for school staff to	Relationship to child:  Telephone number contacted
Telephone number contacted on:  Date and Time of conversation: Face to face/Telephone  Nature of request to  I give permission for school staff to	Telephone number contacted
Date and Time of conversation: Face to face/Telephone  Nature of request to  I give permission for school staff to	
Face to face/Telephone  Nature of request to  I give permission for school staff to	
(to be completed by member of staff speaking to parent/carer)	
Are there any medical conditions we need to be aware of? Allergies Plasters  Has your child had any Paracetamol related medicines in the last 24 hours?	conditions we need to be aware
	Allergies Plasters  Has your child had any Paracetamol related medicines
Consent given? Yes/No	Allergies Plasters  Has your child had any Paracetamol related medicines in the last 24 hours?

Deciaration by the	ne person	speaking to	tile parenivcare	•
I have completed	the above	assessment	questionnaire.	

I have assessed there are no contraindications and I have arranged for a member of staff to administer to the child Name of staff administering:

Time and date .....

Dose.....

Signature.....



## **Emergency Procedures**

#### **Contacting Emergency Services**

# Dial 999, ask for an ambulance and be ready with the following information:

- 1. Your telephone number.
- 2. Give your location as follows: Bradshaw Hall Primary School. Vernon Close. Cheadle Hulme. SK8 6AN
- 3. State the postcode.
- 4. Give exact location in the school/ early years setting of the person needing help.
- 5. Give your name.
- 6. Give the name of the person needing help.
- 7. Give a brief description of the person's symptoms (and any known medical condition).
- 8. Inform ambulance control of the best entrance and state that the crew will be met at this entrance and taken to the pupil.
- 9. Do not hang up until the information has been repeated back to you.
- 10. Ideally the person calling should be with the CYP, as the emergency services may give first aid instruction.
- 11. Never cancel an ambulance once it has been called.

#### Speak clearly and slowly

Insert school/ early years setting address and postcode

Put a completed copy of this form by phones around the school/ early years setting



## **Example List of Medical Conditions that may require an Individual Health Plan**

Health Condition	Type of treatments	Names of drugs	Effects of condition / medication
Inflammatory Bowel Disease (Crohn's /	5-ASAs	Sulfasalazine Mesalazine	Can lower immune system, predisposing to infection
Ulcerative Colitis)	Steroids	Prednisolone Hydrocortisone Budesonide	Can suppress bone marrow, resulting in easy bleeding / bruising or anaemia
	Immunosuppression	Azathioprine Methotrexate	Steroids if stopped abruptly can
	Biologic treatments	Infliximab Adalimumab (Humira)	cause Addisonian crisis (low BP, circulatory collapse)
Cardiac conditions (Long QT / Brugada / SVT)	Antiarrhythmics	Amiodarone Sotalol Flecainide Digoxin	Reduction in blood pressure / pulse rate  Anticoagulants can predispose to bleeding / bruising
	Anticoagulants	Warfarin	
Respiratory Conditions	Inhalers		
(Asthma / CF)	Nebulisers (incl antibiotics)		
Epilepsy	Anti-epileptics	Sodium Valproate (Epilim) Lamotrigine (Lamictal) Levetiracetam (Keppra) Carbamazepine (Tegretol) Clobazam	
	Rescue meds	Rectal Diazepam Buccal Midazolam	
Diabetes	Insulin		
	Medication to manage hypoglycaemia	Oral glucose gel Glucagon	



Other endocrine conditions (e.g. Addison's)	Steroids	Prednisolone Hydrocortisone Budesonide	Steroids if stopped abruptly can cause Addisonian crisis (low BP, circulatory collapse)
Cancer	Chemotherapy	Various	Can lower immune system, predisposing to infection
			Can suppress bone marrow, resulting in easy bleeding / bruising or anaemia
Rheumatological conditions (e.g. JIA)	Steroids	Prednisolone Hydrocortisone Budesonide	Can lower immune system, predisposing to infection
	Immunosuppression	Methotrexate	Can suppress bone marrow, resulting in easy bleeding /
	Biologic treatments	Etanercept Anakinra	bruising or anaemia
		Tocilizumab Rituximab	Steroids if stopped abruptly can cause Addisonian crisis (low BP, circulatory collapse)



## **Asthma Emergency Procedures**

- + coughing
- + shortness of breath
- + wheezing
- + feeling tight in the chest
- + being unusually quiet
- + difficulty speaking in full sentences
- + difficulty walking
- + sometimes younger children express feeling tight in the chest and a tummy ache.

#### Do . . .

- 1) Encourage the pupil to sit up straight- try to keep calm
- 2) Get the pupil to take one puff of their reliever inhaler (usually blue) through the spacer every 60 seconds up to 10 puffs.
- 3) If the pupil feels worse at any point OR doesn't feel better after 10 puffs call 999 for an ambulance.
- 4) Repeat step 2 while waiting for an ambulance

## 999

## Call an ambulance urgently if any of the following:

- + the pupil's symptoms do not improve after 10 puffs
- + the pupil is too breathless or exhausted to talk
- + the pupil's lips are blue
- + you are in any doubt.

#### After a minor asthma attack

+ Minor attacks should not interrupt the involvement of a pupil with asthma in school/ early years setting.

When the pupil feels better they can return to school/ early years setting activities.

+ The parents/carers must always be told if their CYP has had an asthma attack.

#### Important things to remember in an asthma attack

- + Never leave a pupil having an asthma attack.
- + If the pupil does not have their inhaler and/or spacer with them, send another teacher or pupil to their classroom or assigned room to get their spare inhaler and/or spacer.
- + In an emergency situation school/ early year setting staff are required under common law, duty of care, to act like any reasonably prudent parent.



Bradshaw Hall Primary School

- + Reliever medicine is very safe. During an asthma attack do not worry about a pupil overdosing.
- + Send a pupil to get another teacher/adult if an ambulance needs to be called.
- + Contact the pupil's parents/carers immediately after calling the ambulance.
- + A member of staff should always accompany a pupil taken to hospital by ambulance and stay with them until their parent arrives.
- + Generally, staff should not take pupils to hospital in their own car.

Do not cancel an ambulance once called, even if the pupil's condition appears to have improved.



## **Anaphylaxis Emergency Procedures**

## Anaphylaxis has a whole range of symptoms

Any of the following may be present, although most pupils with anaphylaxis would not necessarily experience all of these:

- + generalised flushing of the skin anywhere on the body
- + nettle rash (hives) anywhere on the body
- + difficulty in swallowing or speaking
- + swelling of throat and mouth
- + alterations in heart rate
- + signs of breathlessness and/or severe asthma symptoms (see asthma section for more details)
- + abdominal pain, nausea and vomiting
- + sense of impending doom
- + sudden feeling of weakness (due to a drop-in blood pressure)
- + collapse and unconsciousness

#### Do

If a pupil with allergies shows any possible symptoms of a reaction, immediately seek help from a member of staff trained in anaphylaxis emergency procedures. Ensure all members of staff know who is trained

#### The trained member of staff should:

- + Follow the pupil's emergency procedure closely. These instructions will have been given by the paediatrician/healthcare professional during the staff training session and/or the protocol written by the pupil's doctor
- + Try to ensure the pupil remains as still as possible
- + Lie the pupil down UNLESS they have breathing difficulties. If they are feeling dizzy, weak or appear pale and sweating their legs should be raised
- + If there are also signs of vomiting, lay the pupil on their side to avoid choking
- + Administer appropriate medication in line with perceived symptoms
- + **If symptoms are potentially life-threatening**, give the pupil their adrenaline injector into the outer aspect of their thigh. Make sure the used injector is made safe before giving it to the ambulance crew. Either put it in a rigid container or follow the instructions given at the anaphylaxis training.
- + Make a note of the time the adrenaline is given in case a second dose is required and also to notify the ambulance crew.

# 999 and say ANAPHYLAXIS (anna-fill-axis)

If you consider that the pupil's symptoms are cause for concern, call for an ambulance

#### State:

- + The name and age of the pupil
- + That you believe them to be suffering from anaphylaxis
- + The cause or trigger (if known)
- + The name, address and telephone number of the school/ early years setting
- + Give precise and clear directions to the emergency operator
- + Call the pupil's parents/carers.

#### While awaiting medical assistance the designated trained staff should:

- + Continue to assess the pupil's condition
- + Position the pupil in the most suitable position according to their symptoms.
- + If the person's condition deteriorates after making the initial 999 call, a second call to the emergency services should be made to ensure an ambulance has been dispatched.
- + If adrenaline has been given and there has been no improvement after 5 minutes, a second dose can be given if they have been prescribed a second dose.

#### Do

- + On the arrival of the paramedics or ambulance crew the staff member in charge should inform them of the time and type of medicines given. All used adrenaline injectors must be handed to the ambulance crew.
- + If the child has been prescribed an epipen, in cases of doubt it is better to give the adrenalin injection then to hold back.

#### After the emergency

- + After the incident carry out a debriefing session with all members of staff involved.
- + Parents/carers are responsible for replacing any used medication.

Do not cancel an ambulance once called, even if the pupil's condition appears to have improved.

## **Diabetes Emergency Procedures**

## **Hyperglycaemia**

If a pupil's blood glucose level is high (over 10mmol/l) and stays high.

#### **Common symptoms:**

- + thirst
- + frequent urination
- + tiredness
- + dry skin
- + nausea
- + blurred vision.

#### Do . . .

Call the pupil's parents/carers who may request that extra insulin be given. The pupil may feel confident to give extra insulin.

## 999

#### If the following symptoms are present, then call the emergency services:

- + deep and rapid breathing (over-breathing)
- + vomiting
- + breath smelling of nail polish remover

## Hypoglycaemia

#### What causes a hypo?

- + too much insulin
- + a delayed or missed meal or snack
- + not enough food, especially carbohydrate
- + unplanned or strenuous exercise
- + drinking large quantities of alcohol or alcohol without food
- + no obvious cause.

#### Watch out for:

- + hunger
- + trembling or shakiness
- + sweating
- + anxiety or irritability
- + fast pulse or palpitations
- + tingling
- + glazed eyes
- + pallor
- + mood change, especially angry or aggressive behaviour
- + lack of concentration
- + vagueness
- + drowsiness.

Medical Conditions in Scho



#### Do

Immediately give something sugary, a quick-acting carbohydrate such as one of the following:

- + administer a glass of a sugary drink such as full sugar coke. Remember that low sugar drinks (e.g. diet coke, coke zero etc) will not work
- + three or more glucose tablets
- + a glass of fruit juice
- + five sweets, e.g. jelly babies
- + GlucoGel.

The exact amount needed will vary from person to person and will depend on individual needs and circumstances.

After 10 – 15 minutes recheck the blood sugar again. If it is below 5.6 give another sugary quick acting carbohydrate. Re-check the blood sugar in 20-30 minutes to make sure it remains within normal range.

If the pupil still feels hypo after 15 minutes, something sugary should again be given.

999

If the pupil is unconscious or having a seizure do not give them anything to eat or drink; call for an ambulance and contact their parents/carers and put them in the recovery position. Stay with the pupil.

## **Epilepsy Emergency Procedures**

First aid for seizures is quite simple and can help prevent a CYP from being harmed by a seizure. First aid will depend on the individual CYP's epilepsy and the type of seizure they are having. Some general guidance is given below, but most of all it is important to keep calm and know where to find help.

#### **Tonic-clonic seizures**

#### Symptoms:

- + the person loses consciousness, the body stiffens, then falls to the ground
- + this is followed by jerking movements
- + a blue tinge around the mouth is likely, due to irregular breathing
- + loss of bladder and/or bowel control may occur
- + after a minute or two the jerking movements should stop and consciousness slowly returns.

#### Do . . .

- + protect the person from injury (remove harmful objects from nearby)
- + cushion their head
- + look for an epilepsy identity card or identity jewellery. These may give more information about a pupil's condition, what to do in an emergency, or a phone number for advice on how to help
- + Time how long the jerking lasts
- + once the seizure has finished, gently place them in the recovery position to aid breathing
- + keep calm and reassure the person
- + stay with the person until recovery is complete.

#### Don't . . .

- + restrain the pupil
- + put anything in the pupil's mouth
- + try to move the pupil unless they are in danger
- + give the pupil anything to eat or drink until they are fully recovered.
- + attempt to bring them round.

## 999

## Call for an ambulance if . . .



- + you believe it to be the pupil's first seizure
- + the seizure continues for more than five minutes
- + one tonic-clonic seizure follows another without the person regaining consciousness between seizures
- + the pupil is injured during the seizure
- + you believe the pupil needs urgent medical attention.

#### **Focal seizures**

You may also hear this type of seizure called a partial seizure. Someone having a <u>focal seizure</u> may not be aware of their surroundings or what they are doing. They may have unusual movements and behaviour such as plucking at their clothes, smacking their lips, swallowing repeatedly or wandering around.

#### Do. . .

- + Guide them away from danger (such as roads or open water)
- + Stay with them until recovery is complete
- + Be calmly reassuring
- + Explain anything that they may have missed

#### Don't . . .

- + Don't restrain them
- + Don't act in a way that could frighten them, such as making abrupt movements or shouting at them
- + Don't assume they are aware of what is happening, or what has happened
- + Don't give them anything to eat or drink until they are fully recovered
- + Don't attempt to bring them round

## 999

#### Call for an ambulance if . . .

- + You know it is their first seizure or
- + The seizure continues for more than five minutes or
- + They are injured during the seizure or
- + You believe they need urgent medical attention

Do not cancel an ambulance once called, even if the pupil's condition appears to have improved.



#### Seizures in a Wheelchair

#### Do . . .

- + Put the brakes on, to stop the chair from moving
- + Let them remain seated in the chair during the seizure (unless they have an IHP which says to move them)
- + If they have a seatbelt or harness on, leave it fastened
- + If they don't have a seatbelt or harness, support them gently, so they don't fall out of the chair
- + Cushion their head and support it gently. A head rest, cushion or rolled up coat can be helpful

#### Don't . . .

- + Don't restrain their movements
- + Don't put anything in their mouth
- + Don't give them anything to eat until they are fully recovered
- + Don't attempt to bring them round